

Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791 or visit <http://water.epa.gov/drink/hotline>.

Denville Water
140 Morris Avenue
Denville, NJ 07834

♻️ Recycled and Recyclable
Copyright ©2011 Gemini Group LLC
All rights reserved
NJ000246

PR SRT STD
U.S. Postage
PAID
Gemini Group
22901



Presented By
Denville Water

Annual WaterQuality Report

Water testing performed in 2010

PWS ID#: NJ408001

Quality First **Quality**

Once again we are proud to present our annual water quality report covering all testing performed between January 1 and December 31, 2010. As in years past, we are committed to delivering the best-quality drinking water possible. To that end, we remain vigilant in meeting the challenges of new regulations, source water protection, water conservation, and community outreach and education while continuing to serve the needs of all of our water users. Thank you for allowing us to continue providing you and your family with high-quality drinking water.

We encourage you to share your thoughts with us on the information contained in this report. Should you ever have any questions or concerns, we are always available to assist you.

Community Participation

You are invited to participate in our public forum and voice your concerns about your drinking water. We meet the first and third Tuesdays of each month beginning at 7:30 p.m. at City Hall, 1 St. Marys Place, Denville, NJ.

Where Does My Water Come From?

Our primary drinking water supply is from a groundwater source called the Early Mesozoic Basin Aquifer. The rock type in this aquifer is sandstone. We have five wells placed throughout the area that are used to draw from this groundwater supply. In addition to our own wells, we purchase water from the Morris County Municipal Utilities Authority (MUA). The MUA operates six wells in Alamatong, located in Randolph and Chester Township, and two wells in Flanders Valley, located in Mount Olive and Roxbury Township. These wells draw from the Upper and Lower Stratified Glacier Drift and the Lower Leithsville Limestone Formations. Customers from the south side of town receive their drinking water solely from the MUA. Customers in all other areas receive their water from the Denville Water Department. Demand for good, safe drinking water is high: We provide to our customers an average of 1.8 million gallons of water every day.

Our water supply is part of the Hackensack-Passaic Watershed, which covers an area of about 1,123 square miles. One-third of our watershed is covered by urban development, with the remainder under forest cover or used for agricultural purposes. We are entrusted to maintain this watershed property, ensuring a safe and dependable water supply to our customers. To learn more about our watershed on the Internet, go to the U.S. EPA's Surf your Watershed Web site at www.epa.gov/surf.

How Is My Water Treated and Purified?

Our groundwater supply is not exposed to air and is not subject to the direct pollution and contamination that a river or a reservoir may receive. In fact, because groundwater is the safest and highest quality water available to meet the public health demand of water intended for human consumption, we are able to provide your water directly from the source. However, as an additional service to our customers, we initially process our water through an air stripper to remove volatile organic compounds, like MTBE. Then we add chlorine (a precaution against any bacteria that may be present), vyrodox (for manganese removal), and caustic soda (used to adjust final pH and alkalinity) before pumping the water to sanitized, underground reservoirs, water towers, and into your home or business. We carefully monitor the amount of these water additives, adding the lowest quantity necessary to protect the safety of your water without compromising quality and taste.

Water Conservation

You can play a role in conserving water and save yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever you can. It is not hard to conserve water. Here are a few tips:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water-using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.

Questions?

For more information about this report, or for any questions relating to your drinking water, please call Joseph J. Lowell, Superintendent, at (973) 625-8334.

Source Water Assessment

The New Jersey Department of Environmental Protection (NJDEP) has completed and issued a Source Water Assessment Report of our drinking water sources, which is available at www.state.nj.us/dep/swap or by contacting NJDEP's Bureau of Safe Drinking Water at (609) 292-5550. The purpose of the assessments was to determine the susceptibility of each drinking water source to potential contaminant sources (PCSs) and assign a relative rating of high, moderate, or low for each source. The PCSs include: pathogens; nutrients; pesticides; volatile organic compounds; inorganics; radionuclides; radon; and disinfection by-product precursors.

The relative susceptibility rating of our water source was determined by combining the contaminant rating (number and location of PCSs within the assessment area) and the inherent vulnerability rating (i.e., characteristics or existing conditions of the watershed and its delineated assessment area). The assessment reported a susceptibility rating from low to high for our water source. This susceptibility rating does not imply poor water quality; rather, it signifies the system's potential to become contaminated in the assessment area.

If you have any questions about these findings, please contact us during the regular business hours.

Denville Township

Philip Ted Hussa – Mayor

Council Members

Donald Kuser – Council President

Thomas Andes, Gene Fitzpatrick, Christopher Golinski, Howard Shaw, Deborah Smith, Nicholas Stecky

Sampling Results

During the past year we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The tables below show only those contaminants that were detected in the water. The state requires us to monitor for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

REGULATED SUBSTANCES ¹									
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	Township of Denville Water Department		MUA		VIOLATION	TYPICAL SOURCE
				AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH		
1,1,1-Trichloroethane (ppb)	2010	30	30	NA	NA	0.4	ND-0.4	No	Discharge from metal degreasing sites and other factories
Alpha Emitters (pCi/L)	2006	15	0	1.1	0.46-1.1	4.3 ²	0.3-4.3 ²	No	Erosion of natural deposits
Asbestos (MFL)	2009	7	7	4.4	ND-4.4	NA	NA	No	Decay of asbestos cement water mains; Erosion of natural deposits
Barium (ppm)	2008	2	2	NA	NA	0.5	ND-0.9	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Cadmium (ppb)	2008	5	5	NA	NA	2	ND-2	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; Runoff from waste batteries and paints
Chlorine (ppm)	2010	[4]	[4]	0.341	0.309-0.341	0.5	0.5-0.5	No	Water additive used to control microbes
Combined Radium (pCi/L)	2006	5	0	0.73	0.54-0.73	2.3 ²	0.3-2.3 ²	No	Erosion of natural deposits
Haloacetic Acids [HAAs] ³ (ppb)	2010	60	NA	2.3	ND-2.3	20	ND-20	No	By-product of drinking water disinfection
Methyl tert-Butyl Ether [MTBE] (ppb)	2010	70	NA	NA	NA	0.9	ND-0.9	No	Leaking underground gasoline and fuel tanks, gasoline and fuel oil spills
Nitrate (ppm)	2010	10	10	2.00	ND-2.00	3.5	0.6-3.5	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
TTHMs [Total Trihalomethanes] ³ (ppb)	2010	80	NA	2.7	ND-2.7	12	ND-12	No	By-product of drinking water disinfection

Tap water samples were collected for lead and copper analyses from sample sites throughout the community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL/TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2010	1.3	1.3	0.579	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Lead (ppb)	2010	15	0	3	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits

SECONDARY SUBSTANCES (TOWNSHIP OF DENVILLE WATER DEPARTMENT)

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	RUL	MCLG	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Iron ⁴ (ppb)	2010	300	NA	0.15	0.15-0.15	No	Leaching from natural deposits; Industrial wastes
Manganese ⁵ (ppm)	2010	50	NA	0.020	ND-0.020	No	Leaching from natural deposits

¹ Under a waiver granted on December 30, 1998, by the State of New Jersey Department of Environmental Protection, our system does not have to monitor for synthetic organic chemicals/pesticides because several years of testing have indicated that these substances do not occur in our source water. The SDWA regulations allow monitoring waivers to reduce or eliminate the monitoring requirements for asbestos, volatile organic chemicals, and synthetic organic chemicals. Our system received monitoring waivers for synthetic organic chemicals and asbestos.

² Sampled in 2008.

³ We were required by the U.S. EPA to conduct an evaluation of our distribution system. This is known as an Initial Distribution System Evaluation (IDSE) and is intended to identify locations in our distribution system that have elevated disinfection-by-product concentrations. Disinfection by-products (e.g., HAAs and TTHMs) result from continuous disinfection of drinking water and form when disinfectants combine with organic matter that naturally occurs in the source water.

⁴ The recommended upper limit for Iron is based on the unpleasant taste of the water and staining of laundry. Iron is an essential nutrient, but some people who drink water with iron levels well above the recommended upper limit could develop deposits of iron in a number of organs of the body.

⁵ The recommended upper limit for Manganese is based on staining of laundry. Manganese is an essential nutrient, and toxicity is not expected from high levels which would be encountered in drinking water.

Definitions

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MFL (million fibers per liter): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

RUL (Recommended Upper Limit): The highest level of a contaminant recommended in drinking water. RULs are set to protect the odor, taste, and appearance of drinking water.

Information on the Internet

The U.S. EPA Office of Water (www.epa.gov/wat/home) and Centers for Disease Control and Prevention (www.cdc.gov) Web sites provide information on many issues relating to water resources, water conservation, and public health. Also, the New Jersey Department of Health's Web site (www.state.nj.us) provides complete and current information on water issues in New Jersey, including valuable information about our watershed.

Radon

Radon is a radioactive gas that occurs naturally in some groundwater. It may pose a health risk when the gas is released from water into air, as occurs during showering, bathing, or washing dishes and clothes. Radon gas released from drinking water is a relatively small part of the total radon in air. Radon is released into homes and groundwater from soil. Inhalation of radon gas has been linked to lung cancer; however, the effects of radon ingested in drinking water are not yet clear. If you are concerned about radon in your home, tests are available to determine the total exposure level. For additional information on how to have your home tested, call (800) SOS-RADON.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Denville Water is responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.



Why do I get this report each year?

Community water system operators are required by Federal law to provide their customers an annual water quality report. The report helps people make informed choices about the water they drink. It lets people know what contaminants, if any, are in their drinking water and how these contaminants may affect their health. It also gives the system operators a chance to tell customers what it takes to deliver safe drinking water.

Why does my water sometimes look "milky"?

The "milky" look is caused by tiny air bubbles in the water. The water in the pipes coming into your home or business might be under a bit of pressure, and gasses (the air) are dissolved and trapped in the pressurized water as it flows into your glass. As the air bubbles rise in the glass, they break free at the surface, thus clearing up the water. Although the milky appearance might be disconcerting, the air bubbles won't affect the quality or taste of the water.

How can I keep my pet's water bowl germ free?

Veterinarians generally recommend that water bowls be washed daily with warm, soapy water — normally when you change the water. Scour the corners, nooks, and crannies of the water dish using a small scrub brush. In addition, once a week put water bowls into the dishwasher to sanitize them with hot water. In most situations, disinfectants like bleach are not needed; warm, soapy water is all you need to keep your pet's water clean and safe.

How much water is used during a typical shower?

The Federal Energy Policy Act set a nationwide regulation that limits shower heads to a maximum flow of 2.5 gallons per minute (GPM). Shower heads made before 1980 are rated at 5 GPM. Since the average shower is estimated to last 8.2 minutes, the old shower heads use 41 gallons of water while the newer, low-flow shower heads use only about 21 gallons.

Is it okay to use hot water from the tap for cooking and drinking?

No, ALWAYS use cold water. Hot water is more likely to contain rust, copper, and lead from household plumbing and water heaters. These substances can dissolve into hot water faster than they do into cold water, especially when the faucet has not been used for an extended period of time.